## **Year 4 Emergencies – Candidate instructions**

You have been asked to see Jonathan Birch, a 62 year old man who is being treated for Multiple Myeloma.

They are currently being assessed by a nurse.

You have 10 mins and you are expected to:

- Perform a A to E assessment, asking the nurse for any history, observations and clinical signs (6 minutes)
- Review the investigations and summarise the case, explaining diagnosis and further management to the examiner (4 minutes)

## **Year 4 Emergencies – Patient instructions**

## **Handover:**

- Appears drowsy and seems confused in conversation
- Being treated palliatively for Multiple Myeloma with IV Morphine
- Morphine prescription is correct
- No other medical or drug history

#### **Patient instructions:**

Drowsy and Confused, but able to confirm name and age

# **Airway**: Patent **Breathing**:

- Respiratory Rate: 8

- SpO2: 93%

- Tracheal not deviated, Symmetrical chest expansion
- Normal Percussion, Auscultation
- Investigations to request: ABG/ VBG
- Interventions
  - Nasal Cannula 2L Oxygen
  - Stop IV Morphine, IV Naloxone 400mcg initially

#### Circulation:

Pulse Rate: 55Rhythm: Regular

Blood pressure: 100/80Capillary Refill Time: <2s</li>

- Cardiac Auscultation: SI+II, no murmur

Look at fluid balance chart

- Catheterise to monitor urine output

Investigations to request: FBC, CRP, ESR, U&Es, TFTs, ECG

#### **Disability**:

- AVPU- Confused
- Pupils- Normal reflexes, Constricted
- Investigations to request: Glucose

#### **Exposure:**

- Temperature: Normal
- No rashes, bruising, bleeding, head trauma, wounds

©OSCEACE 2024 - Sumedh Sridhar, Hemanshu Monga, Ronit Hardasani

## **Investigation results for candidate at 6 minutes:**

- Fluid balance chart: 3 Litres intake today
- Urine output 0.3/ml/kg/hour (AKI)

#### **Questions for candidate:**

Q1: Can you summarise this case?

Q2: What is your most likely diagnosis

Opioid overdose, secondary to AKI caused by Myeloma

Q3 (if candidate has not said above): How would you manage this patient? Stop Morphine

IV Naloxone 400 micrograms initially.

Upto 2 further doses of 800 micrograms, if required

Alert senior

# <u>Year 4 Emergencies – Examiner marksheet</u>

Washes hand and PPE	
Introduces themselves and checks patient ID	
Good interaction with the nurse	
Systematic A to E assessment	
Appropriate investigations ordered	
Involvement of senior if required	
Reassess	
Correctly interprets investigations	
Provides an accurate, concise case summary	
Good list of differentials	
Correct diagnosis	
Appropriate management	

# **Global Impression:**

# **Patient Impression/comments:**

- Excellent
- Good
- Pass
- Borderline
- Fail