# **Examination – Notes for Actor**

# **Patient demographics:**

You are Mikel, a 67-year-old man presenting to the GP with abdominal pain.

During the examination:

- You will react with pain when the student deeply palpates the left lower abdominal quadrant.

### **Examination – Notes for Candidate**

Role: Foundation Year 1 doctor in a GP centre

This is Mikel, a 67-year-old male who has presented to the GP with abdominal pain.

Please perform a GASTROINTESTINAL examination. The examiner will tell you relevant signs as you go along.

You have 8 minutes to examine the patient, followed by a further 2 minutes where the examiner will ask you questions.

An invigilator will let you know when 8 minutes has elapsed.

### **Examination – Examiner marksheet**

You will have to tell the student certain signs when they get to that stage of the exam (anything in quotation marks).

- Good professionalism throughout
- Confident and well-practised examination with all steps and correct technique
- Use an appropriate examination checklist like the University of Leicester checklist or Geeky Medics to mark examination steps.
- Succinct presentation of the examination, including all positives and only relevant negatives + correct further assessments.
- General inspection: No abnormalities
- Hands: no abnormalities
- Arms and axillae: No abnormalities
- Face + Neck: No abnormalities
- Chest: No abnormalities
- Abdominal inspection: No abnormalities
- Palpation: if they palpate all quadrants correctly: "you feel a soft fluctuant mass in the suprapubic quadrant and a hard mass in the left lower quadrant"
- Percussion: No abnormalities
- Auscultation: No abnormalities
- Legs: No abnormalities

## Q1: What is your diagnosis?

Constipation + urinary retention

#### Q2: What investigations would you like to order?

- U&Es to assess renal function due to AKI risk
- Digital rectal examination
- Bone profile (hypercalcaemia)
- Accept any sensible and realistic suggestions

### Q3: What is your management of this condition?

- Fluid + fibre intake increased, short course of laxative like lactulose, catheterise to drain the bladder.

#### **Global Impression:**

#### **Patient Impression/comments:**

- Excellent
- Good
- Pass
- Borderline
- Fail